

## CERTIFICATE OF ANALYSIS - CANNABINOID ASSAY

## Certificate No. CBD-SPS-0005

Customer Details: SimplySupplements

Sample ID: E133 CBD 5% Hemp Oil 500mg

Batch No: **D-19123-1** 

Adact Refer.# 10322 **Testing Method: HPLC-DAD** Sample Number: CBD-SPS-0005 Testing Date: 19/07/2023 Sample Received Date: Analysis Date: 18/07/2023 19/07/2023 Sample Condition: Cert.Issue Date: Good 19/07/2023

Sampling Date: \_\_\_\_\_\_ 19/07/2023

| Analyte                                  | LOD (%) | LOQ (%) | Result (mg/10ml) |
|--|---------|---------|------------------|
| CBDVA (Cannabidivarinic acid)            | 0.0012  | 0.0036  | ND               |
| CBDV (Cannabidivarin)                    | 0.0003  | 0.0009  | ND               |
| CBDA (Cannabidiolic acid)                | 0.0008  | 0.0024  | ND               |
| CBGA (Cannabigerolic acid)               | 0.0012  | 0.0038  | ND               |
| CBG (Cannabigerol)                       | 0.0004  | 0.0013  | ND               |
| CBD (Cannabidiol)                        | 0.0005  | 0.0014  | 494.1621         |
| THCV (Tetrahyrdocannabivarin)            | 0.0005  | 0.0015  | ND               |
| THCVA (Tetrahydrocannabivarinic acid)    | 0.0011  | 0.0033  | ND               |
| CBN (Cannabinol)                         | 0.0005  | 0.0016  | ND               |
| CBNA (Cannabinolic acid)                 | 0.0010  | 0.0031  | ND               |
| Δ9-THC (Δ9-tetrahydrocannabinol)         | 0.0008  | 0.0024  | ND               |
| Δ8-THC (Δ8-tetrahydrocannabinol)         | 0.0004  | 0.0012  | ND               |
| CBL (Cannabicyclol)                      | 0.0003  | 0.0010  | ND               |
| CBC (Cannabichromene)                    | 0.0003  | 0.0009  | ND               |
| CBCA (Cannabichromenic acid)             | 0.0011  | 0.0035  | ND               |
| Δ9-THCA (Δ9-tetrahydrocannabinolic acid) | 0.0012  | 0.0037  | ND               |

LOD - denotes limit of detection

LOQ - denotes limit of quantitation

\*<LOQ - Any analyte detected below the LOQ should not be relied upon quantitatively

✓ Meets label claim ± 10%

Does not meet label claim ± 10%

No label claim presented

The measurement of uncertainty is not taken into account, unless stated.

Reviewed & Authorised by

ISO/IEC 17025:2017





**Chris Stakes, Laboratory Manager** 

Accreditation number: 106599 Certificate number: L22-377 The reported results refer only to the item received and tested. The report shall not be reproduced, except in full, without written approval of The Lab.